ELSEVIER

Journal of Organometallic Chemistry 526 (1996) 407–408

Journal of Organometallic Chemistry

Author Index of Volume 526

Aisa, A.M.A., 43
Alt, H.G., 295
Andrés, R., 135
Artamkina, G.A., 51
Atwood, J.L., 1

Beck, J., 363
Beddoes, R.L., 371
Beletskaya, I.P., 51
Berke, H., 117
Bianchi, M., 33
Bohanna, C., 73
Bott, S.G., 1
Böttcher, H.-C., 145
Braunstein, P., 105
Braz Filho, R., 15
Bruce, M.I., 85
Butin, K.P., 51

Calogero, S., 269
Campo, J.A., 341
Cano, A., 227
Cano, M., 341
Ceccanti, A., 251
Cecchi, P., 269
Chen, Y.-S., 379
Cho, C.S., 335
Chojnowski, J., 351
Chukwu, R., 1
Chung, J.-H., 215
Cifuentes, M.P., 99
Claramunt, R.M., 341
County, G.R., 279
Cuenca, T., 227
Cutillas, N., 67
Cypryk, M., 351

Dash, A.K., 379
Davies, J.A., 385
De Magalhães, G.C., 15
Dickson, R.S., 279
Dinger, M.B., 303
Diversi, P., 251
Dos Santos, M.L., 15

Ellison, J.J., 263
Esteruelas, M.A., 73

Fallon, G.D., 279
Fawzi, R., 175
Ferguson, G., 195
Förtsch, W., 169
Fortuniak, W., 351
Fraústo da Silva, J.J.R., 237
Fronczek, F.R., 389

Galakhov, M., 135
Gierling, K., 175
Gipson, S.L., 393
Głowiak, T., 329
Gómez-Sal, M.P., 135
Gómez-Sal, P., 227
Grime, R.W., 371
Guedes da Silva, M.F.C., 237

Hahn, F.E., 149
Hampel, F., 169
Hänssgen, D., 59
Hardt, T., 313
Hassler, K., 157
Heinemann, F.W., 145
Henderson, W., 303
Heras, J.V., 341
Hermoso, J.A., 67
Hockless, D.C.R., 99
Hoffmann, D., 185
Holt, E.M., 379
Hossain, Md.M., 379
Hübler, K., 199
Hübler, U., 199
Humphrey, M.G., 99
Humphrey, P.A., 85
Hunter, A.D., 1
Hussain, Z.I., 371
Hutton, A.T., 321

Imhof, L., 149
Ingrosso, G., 251
Ipaktschi, J., 363

Jacob, K., 191
Jenkins, S.M., 279
Johnson, J., 279
Johnston, R.F., 25

Kaźmierski, K., 351
Keppeler, B., 175
Kläui, W., 313
Kluwe, C., 385
Knorr, M., 105
Köll, W., 157
Kukhareva, I.I., 51

Laschi, F., 251
Lee, J.-H., 215
Lee, K., 215
Lindner, E., 175
Liu, L.-K., 393
Lobbia, G.G., 269
López, A.M., 73
López, G., 67
Lucherini, A., 251
Lügger, T., 149
Luther-Davies, B., 99

Magagna, S., 251
Magdesieva, T.V., 51
Manzanero, A., 227
Martín, A., 135
Martínez-Ripoll, M., 67
Mathur, P., 379
Matteoli, U., 33
Mayer, H.A., 175
McDonagh, A.M., 99
Mena, M., 135
Menchi, G., 33
Merzweiler, K., 191
Mirzaei, F., 363
Monge, A., 341
Moss, J.R., 321
Müller, B.G., 363
Müller, J., 385
Murphy, D.M., 195

Naidoo, M., 321
Nefedov, S.E., 117
Nicholson, B.K., 303
Nieger, M., 59
Nishibayashi, Y., 335

Oehme, H., 185
Ohe, K., 335
O'Leary, B.J., 195
Oro, L.A., 73
Oster, T., 59

Pang, Z., 25
Park, J.-R., 215
Park, J.T., 215
Piacenti, F., 33
Pinilla, E., 341
Pombeiro, A.J.L., 237
Power, P.P., 263

Elsevier Science S.A.

Rabideau, P.W., 389
Rao, S.N., 379
Rauchfuss, T.B., 203
Reinke, H., 185
Roper, W.R., 199
Royo, P., 227
Ruíz, F.A., 341
Ruiz, J., 67

Samoc, M., 99
Sampedro, J., 67
Santamaría, C., 135
Santa María, M.D., 341
Santarsiero, B.D., 1
Santini, C., 269
Sanz, D., 341
Schmalle, H., 117
Schobert, R., 169
Serafin, M., 363
Shaposhnikova, E.N., 51
Skelton, B.W., 85
Sobota, P., 329
Soliz, R.U., 393
Song, H., 215
Spalding, T.R., 195
Stafford, P.R., 203
Starr, E.J., 321
Steimann, M., 175
Steinborn, D., 43
Stievano, L., 269
Suh, I.-H., 215
Sygula, A., 389
Szafert, S., 329

Tamm, M., 149
Tao, J., 21
Taylor, R.G., 351
Thiele, K.-H., 191
Tiripicchio, A., 105

Uemura, S., 335
Ugozzoli, F., 105

Valle, G., 269
VanDerveer, D.G., 25
Veghini, D., 117
Verma, A.K., 203
Voigt, F., 191

White, A.H., 85
Whiteley, M.W., 371
Whittall, I.R., 99
Wilkins, A.L., 303
Wilson, S.R., 203
Wright, L.J., 199

Xiao, W., 21

Yang, L., 43

Zanello, P., 251
Zenk, R., 295

ELSEVIER

Journal of Organometallic Chemistry 526 (1996) 409–417

Journal of Organometallic Chemistry

Subject Index of Volume 526

Acetylene
A novel Lewis-acid-catalyzed 1,2-OMe shift reaction of an acetylenic ether on a dipalladium framework. X-ray structure of $[Pd_2Cl_2(\mu\text{-dppm})_2(\mu\text{-C=C(OMe)(Me)})]$ (C. Kluwe, J. Müller and J.A. Davies), 385

Acetylide
Organometallic complexes for non-linear optics VII. Cubic optical non-linearities of octahedral *trans*-bis{bis(diphenylphosphino) methane}ruthenium acetylide complexes; X-ray crystal structure of *trans*-$[Ru(C{\equiv}CPh)(4\text{-}C{\equiv}CC_6H_4NO_2)(dppm)_2]$ (A.M. McDonagh, M.P. Cifuentes, I.R. Whittall, M.G. Humphrey, M. Samoc, B. Luther-Davies and D.C.R. Hockless), 99

Acetylide complex
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C{\equiv}C{-}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram–Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363

Alkene
Chemistry of metallacyclic alkenylcarbene complexes V. Synthesis, structure and S_N2'-type reactions of a chelated iron (η^2-olefin)dioxocarbene complex (R. Schobert, W. Förtsch and F. Hampel), 169

Alkyl group 4 metals
Dicyclopentadienyl titanium and zirconium complexes with the double bridged bis(dimethylsilanodiyl)dicyclopentadienyl $[(Me_2Si)_2(\eta^5\text{-}C_5H_3)_2]^{2-}$ ligand: X-ray molecular structure of $[Ti\{(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2\}Me_2]$ (A. Cano, T. Cuenca, P. Gómez-Sal, A. Manzanero and P. Royo), 227

Alkynyl
Organometallic complexes for non-linear optics VII. Cubic optical non-linearities of octahedral *trans*-bis{bis(diphenylphosphino) methane}ruthenium acetylide complexes; X-ray crystal structure of *trans*-$[Ru(C{\equiv}CPh)(4\text{-}C{\equiv}CC_6H_4NO_2)(dppm)_2]$ (A.M. McDonagh, M.P. Cifuentes, I.R. Whittall, M.G. Humphrey, M. Samoc, B. Luther-Davies and D.C.R. Hockless), 99

Allenyl
Untersuchungen zum elektronischen Einfluß von Organoliganden XIV. Synthese und Charakterisierung von Organorhodoximen mit ungesättigten C_3-Liganden (D. Steinborn, L. Yang und A.M.A. Aisa), 43

Allyl
Allyl derivatives of $[\{Ti(\eta^5\text{-}C_5Me_5)(\mu\text{-}O)Cl)_3]$: X-ray crystal structure of $[\{Ti(\eta^5\text{-}C_5Me_5)(\mu\text{-}O)(CH_2CH{=}CHMe)\}_3]$ (R. Andrés, M. Galakhov, M.P. Gómez-Sal, A. Martín, M. Mena and C. Santamaría), 135

Untersuchungen zum elektronischen Einfluß von Organoliganden XIV. Synthese und Charakterisierung von Organorhodoximen mit ungesättigten C_3-Liganden (D. Steinborn, L. Yang und A.M.A. Aisa), 43

Aluminium
The crystal structure and properties of $[TiCl_4\{CH(CO_2Et)_3\}]$ and $[Al_2Cl_6\{\mu\text{-}C_2H_4(CO_2Et)_2\}]$ (P. Sobota, S. Szafert and T. Głowiak), 329

(J. Ruiz), 67

Amido

Amine
2,5″-bis(*N*,*N*-Dimethylaminomethyl)ferrocenyl–Bildung und Struktur (K. Jacob, K. Merzweiler, K.-H. Thiele und F. Voigt), 191

Arene
Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure (M.L. Dos Santos, G.C. De Magalhães and R. Braz Filho), 15

Aryl
Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure (M.L. Dos Santos, G.C. De Magalhães and R. Braz Filho), 15

Aryls
Synthesis and structural characterization of magnesium and cobalt derivatives of the bulky aryl ligand $-C_6H_3\text{-}2,6\text{-}Mes_2$ (J.J. Ellison and P.P. Power), 263

Azines
Synthesis and characterization of polyaromatic azine derivatives of $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ and $(\eta^5\text{-}C_9H_7)Fe(CO)_2$: X-ray crystal structures of 4-[(η^5-cyclopentadienyl)irondicarbonyl]-7-chloroquinoline, 2-[(η^5-cyclopentadienyl)irondicarbonyl]-3-chloroquinoxaline, and 2-[(η^5-indenyl)irondicarbonyl]-3-chloroquinoxaline (A.D. Hunter, R. Chukwu, B.D. Santarsiero, S.G. Bott and J.L. Atwood), 1

Benzophenone imine
Synthesis and reactivity of new benzophenone imine derivatives containing the $Ru(CO)(P^iPr_3)_2$ unit (C. Bohanna, M.A. Esteruelas, A.M. López and L.A. Oro), 73

Bidentate diisocyanide
Preparation and crystal structures of a bidentate isocyanide and its tetracarbonylchromium complex (F.E. Hahn, M. Tamm, L. Imhof and T. Lügger), 149

Bidentate N, P donors
Synthesis of nitrosyl rhenium(I) complexes bearing bidentate ligands (D. Veghini, S.E. Nefedov, H. Schmalle and H. Berke), 117

Bimetallic complexes
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C{\equiv}C{-}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram–Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363

Bisphosphine
Comparison of the reactions of some bisphosphines with two related dinuclear rhodium complexes (G.R. County, R.S. Dickson, G.D. Fallon, S.M. Jenkins and J. Johnson), 279

Boron
Organotin(IV) polypyrazolylborates. XII. Hydridotris(4-bromo-1*H*-pyrazol-1-yl)borates: characterization, Mössbauer study and X-ray crystal structure of $MeCl_2Sn(4\text{-}BrPz)_3BH$ (S. Calogero, G. Valle, G.G. Lobbia, C. Santini, P. Cecchi and L. Stievano), 269
The synthesis and structure of a new type of borosilicate cage (G. Ferguson, B.J. O'Leary, D.M. Murphy and T.R. Spalding), 195
Borosilicate
The synthesis and structure of a new type of borosilicate cage (G. Ferguson, B.J. O'Leary, D.M. Murphy and T.R. Spalding), 195
Bromide
Synthesis and structural characterization of magnesium and cobalt derivatives of the bulky aryl ligand $-C_6H_3\text{-}2,6\text{-}Mes_2$ (J.J. Ellison and P.P. Power), 263

Cage
The synthesis and structure of a new type of borosilicate cage (G. Ferguson, B.J. O'Leary, D.M. Murphy and T.R. Spalding), 195
Carbene
Chemistry of metallacyclic alkenylcarbene complexes V. Synthesis, structure and S_N2'-type reactions of a chelated iron (η^2-olefin)dioxocarbene complex (R. Schobert, W. Förtsch and F. Hampel), 169
Synthesis and X-ray crystal structures of the cyclic oxacarbene complexes $[Ru\{\overbrace{CCH_2(CH_2)_nCH_2O}\}(Ph_2PCH_2CH_2PPh_2)(\eta\text{-}C_5H_5)][PF_6]$ ($n = 1$ or 2): boat conformation of the 2-oxacyclohexylidene ligand (R.L. Beddoes, R.W. Grime, Z.I. Hussain and M.W. Whiteley), 371
Carbonyl
Characterization and structures of intermediates in the reactivity of $CpWOs_3(CO)_{11}(\mu_3\text{-}CTol)$ towards dihydrogen and water (J.T. Park, J.-H. Chung, H. Song, K. Lee, J.-H. Lee, J.-R. Park and I.-H. Suh), 215
Synthesis and characterization of polyaromatic azine derivatives of $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ and $(\eta^5\text{-}C_9H_7)Fe(CO)_2$: X-ray crystal structures of 4-[(η^5-cyclopentadienyl)irondicarbonyl]-7-chloroquinoline, 2-[(η^5-cyclopentadienyl)irondicarbonyl]-3-chloroquinoxaline, and 2-[(η^5-indenyl)irondicarbonyl]-3-chloroquinoxaline (A.D. Hunter, R. Chukwu, B.D. Santarsiero, S.G. Bott and J.L. Atwood), 1
Synthesis and X-ray crystal structure of the electron-deficient metal carbonyl cluster $[Os_3(CO)_5(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (F.W. Heinemann and H.-C. Böttcher), 145
Synthesis, spectroscopic and structural characterization of the double butterfly complex $[\{(CO)_6Fe_2SSe\}_2\{\mu\text{-}C(H)\text{-}C(Ph)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain, Y.-S. Chen, E.M. Holt and S.N. Rao), 379
Carboxylate
Structural chemistry of organotin ferrocenecarboxylic esters I. Synthesis and spectroscopic studies on dialkyltin esters of ferrocenecarboxylic acid FcCOOH and 1,1'-ferrocenedicarboxylic acid $Fc(COOH)_2$ (J. Tao and W. Xiao), 21
Carbyne
Neue Halogenowolfram(+VI)carbine durch chlorierende Oxidation, Synthese des ersten Fluorowolfram(+VI)carbin-Komplexes (W. Kläui und T. Hardt), 313
Catalysis
Homo and co-oligomerization of C_2–C_5 olefins in the presence of cluster ruthenium complexes (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 33
Syndiospezifische Polymerisation von Propylen: Synthese CH_2- und CHR-verbrückter fluorenylhaltiger Ligandvorstufen für Metallocenkomplexe des Typs $(C_{13}H_{8-n}R'_nCHR\text{–}C_5H_4)ZrCl_2$ ($n = 0$, 2; R = H, Alkyl; R' = H, Hal) (H.G. Alt und R. Zenk), 295
The reaction of $CpFe(CO)_2X$ (X = Cl, Br, I) with phosphines catalyzed by $[CpFe(CO)_2]_2$: evidence for an electron transfer chain catalysis mechanism (S.L. Gipson, L.-K. Liu and R.U. Soliz), 393
Catalysis of silanol condensation
Interactions of hexachlorodiphosphazenium ion with an alcohol and with some silicon–oxygen reagents and their role in the catalysis of polycondensation in silanol–alkoxysilane systems (J. Chojnowski, M. Cypryk, W. Fortuniak, K. Kaźmierski and R.G. Taylor), 351
Cationic metallocenes
Dicyclopentadienyl titanium and zirconium complexes with the double bridged bis(dimethylsilanodiyl)dicyclopentadienyl $[(Me_2Si)_2(\eta^5\text{-}C_5H_3)_2]^{2-}$ ligand: X-ray molecular structure of $[Ti\{(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2\}Me_2]$ (A. Cano, T. Cuenca, P. Gómez-Sal, A. Manzanero and P. Royo), 227
C–H activation
Electron transfer catalysis in the activation of C–H bonds by ruthenium complexes (A. Ceccanti, P. Diversi, G. Ingrosso, F. Laschi, A. Lucherini, S. Magagna and P. Zanello), 251
Chalcogenide
Palladium-catalyzed homocoupling reactions of organic tellurides (Y. Nishibayashi, C.S. Cho, K. Ohe and S. Uemura), 335
Chelates
Preparation, characterization, and reactivity studies of chelated substituted cyclopentadienylmanganesedicarbonyl complexes (Z. Pang, R.F. Johnston and D.G. VanDerveer), 25
Chirality
Titanocene complexes of ring-opened dibenzothiophene and related dimercaptobiaryl ligands (P.R. Stafford, T.B. Rauchfuss, A.K. Verma and S.R. Wilson), 203
Chromium complex
Preparation and crystal structures of a bidentate isocyanide and its tetracarbonylchromium complex (F.E. Hahn, M. Tamm, L. Imhof and T. Lügger), 149
Cluster
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons Cycloocta-1,3,5,7-tetraene. X-ray structures of $Ru_3(\mu\text{-dppm})(\mu\text{-}C_8H_8)(CO)_6$, $Ru_3(\mu_3\text{-}PPhCH_2PPh_2)(\mu_3\text{-}C_8H_8)(Ph)(CO)_5$, $Ru_3\{\mu_3\text{-}PPhCH_2PPh(C_6H_4)\}(\mu\text{-}C_8H_8)(\mu\text{-}CO)(CO)_4$, and $Ru_3(\mu\text{-}H)\{\mu_3\text{-}PPh_2CHPPh(C_6H_4)\}(\mu\text{-}C_8H_9)(\mu\text{-}CO)(CO)_4$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 85
Cobaloxime
Synthesis and characterization of long-chain ω-functionalized alkyl cobaloxime complexes (E.J. Starr, M. Naidoo, A.T. Hutton and J.R. Moss), 321
Cobalt
Synthesis and characterization of long-chain ω-functionalized alkyl cobaloxime complexes (E.J. Starr, M. Naidoo, A.T. Hutton and J.R. Moss), 321
Synthesis and structural characterization of magnesium and cobalt derivatives of the bulky aryl ligand $-C_6H_3\text{-}2,6\text{-}Mes_2$ (J.J. Ellison and P.P. Power), 263
Condensation of alkoxysilane with silanol
Interactions of hexachlorodiphosphazenium ion with an alcohol and with some silicon–oxygen reagents and their role in the catalysis of polycondensation in silanol–alkoxysilane systems (J. Chojnowski, M. Cypryk, W. Fortuniak, K. Kaźmierski and R.G. Taylor), 351
Co-oligomerization
Homo and co-oligomerization of C_2–C_5 olefins in the presence of cluster ruthenium complexes (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 33

Coordination compounds
Synthesis of nitrosyl rhenium(I) complexes bearing bidentate ligands (D. Veghini, S.E. Nefedov, H. Schmalle and H. Berke), 117
Crystal structure
Chemistry of metallacyclic alkenylcarbene complexes V. Synthesis, structure and S_N2'-type reactions of a chelated iron (η^2-olefin)dioxocarbene complex (R. Schobert, W. Förtsch and F. Hampel), 169
Organometallic complexes for non-linear optics VII. Cubic optical non-linearities of octahedral *trans*-bis(bis(diphenylphosphino) methane}ruthenium acetylide complexes; X-ray crystal structure of *trans*-[Ru(C≡CPh)(4-C≡C$C_6H_4NO_2$)(dppm)$_2$] (A.M. McDonagh, M.P. Cifuentes, I.R. Whittall, M.G. Humphrey, M. Samoc, B. Luther-Davies and D.C.R. Hockless), 99
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons Cycloocta-1,3,5,7-tetraene. X-ray structures of $Ru_3(\mu\text{-dppm})(\mu\text{-}C_8H_8)(CO)_6$, $Ru_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\mu_3\text{-}C_8H_8)(Ph)(CO)_5$, $Ru_3\{\mu_3\text{-PPhCH}_2\text{PPh}(C_6H_4)\}(\mu\text{-}C_8H_8)(\mu\text{-CO})(CO)_4$, and $Ru_3(\mu\text{-H})\{\mu_3\text{-PPh}_2\text{CHPPh}(C_6H_4)\}(\mu\text{-}C_8H_9)(\mu\text{-CO})(CO)_4$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 85
Synthesis and characterisation of platinum(II) ureylene complexes, and the X-ray structure of [Pt{PhNC(O)NAd}(COD)] (Ad = 1-adamantyl, COD = 1,5-cyclo-octadiene) (M.B. Dinger, W. Henderson, B.K. Nicholson and A.L. Wilkins), 303
Synthesis and characterization of polyaromatic azine derivatives of $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ and $(\eta^5\text{-}C_9H_7)Fe(CO)_2$: X-ray crystal structures of 4-[(η^5-cyclopentadienyl)irondicarbonyl]-7-chloroquinoline, 2-[(η^5-cyclopentadienyl)irondicarbonyl]-3-chloroquinoxaline, and 2-[(η^5-indenyl)irondicarbonyl]-3-chloroquinoxaline (A.D. Hunter, R. Chukwu, B.D. Santarsiero, S.G. Bott and J.L. Atwood), 1
Synthesis and structural characterization of magnesium and cobalt derivatives of the bulky aryl ligand $-C_6H_3\text{-2,6-Mes}_2$ (J.J. Ellison and P.P. Power), 263
Synthesis and X-ray crystal structures of the cyclic oxacarbene complexes $[Ru\{\overbrace{CCH_2(CH_2)_nCH_2O}\}(Ph_2PCH_2CH_2PPh_2)(\eta\text{-}C_5H_5)][PF_6]$ (n = 1 or 2): boat conformation of the 2-oxacyclohexylidene ligand (R.L. Beddoes, R.W. Grime, Z.I. Hussain and M.W. Whiteley), 371
Synthesis, spectroscopic and structural characterization of the double butterfly complex $[\{(CO)_6Fe_2SSe\}_2\{\mu\text{-C(H)–C(Ph)}\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain, Y.-S. Chen, E.M. Holt and S.N. Rao), 379
The crystal structure and properties of $[TiCl_4\{CH(CO_2Et)_3\}]$ and $[Al_2Cl_6\{\mu\text{-}C_2H_4(CO_2Et)_2\}]$ (P. Sobota, S. Szafert and T. Głowiak), 329
Crystal structures
Rhodium(I) complexes with hydrotris(3-phenylpyrazol-1-yl)borate ligand Tp^{Ph}: X-ray crystal structures of $Tp^{Ph}Rh(NBD)$ and $Tp^{Ph}Rh(COD)$ (D. Sanz, M.D. Santa María, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, F.A. Ruíz, E. Pinilla and A. Monge), 341
Cubic hyperpolarizabilities
Organometallic complexes for non-linear optics VII. Cubic optical non-linearities of octahedral *trans*-bis(bis(diphenylphosphino) methane}ruthenium acetylide complexes; X-ray crystal structure of *trans*-[Ru(C≡CPh)(4-C≡C$C_6H_4NO_2$)(dppm)$_2$] (A.M. McDonagh, M.P. Cifuentes, I.R. Whittall, M.G. Humphrey, M. Samoc, B. Luther-Davies and D.C.R. Hockless), 99
Cyclometallated
Synthesis and structural study of $[\{Pd(C_6H_4CH_2N(CH_3)_2)\}_2(\mu\text{-Br})(\mu\text{-X})]$ complexes (X = hydroxide, amide or thiolate) (J. Ruiz, N. Cutillas, J. Sampedro, G. López, J.A. Hermoso and M. Martínez-Ripoll), 67
Cyclooctatetraene
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons Cycloocta-1,3,5,7-tetraene. X-ray structures of $Ru_3(\mu\text{-dppm})(\mu\text{-}C_8H_8)(CO)_6$, $Ru_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\mu_3\text{-}C_8H_8)(Ph)(CO)_5$, $Ru_3\{\mu_3\text{-PPhCH}_2\text{PPh}(C_6H_4)\}(\mu\text{-}C_8H_8)(\mu\text{-CO})(CO)_4$, and $Ru_3(\mu\text{-H})\{\mu_3\text{-PPh}_2\text{CHPPh}(C_6H_4)\}(\mu\text{-}C_8H_9)(\mu\text{-CO})(CO)_4$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 85
The first example of η^8 coordination of lithium cations with a cyclooctatetraene dianion: crystal structure of Li_2(dibenzo[a,e] cyclooctatetraene)(TMEDA)$_2$ (A. Sygula, F.R. Fronczek and P.W. Rabideau), 389
Cyclopentadienyl
Chemistry of metallacyclic alkenylcarbene complexes V. Synthesis, structure and S_N2'-type reactions of a chelated iron (η^2-olefin)dioxocarbene complex (R. Schobert, W. Förtsch and F. Hampel), 169
Synthesis and characterization of polyaromatic azine derivatives of $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ and $(\eta^5\text{-}C_9H_7)Fe(CO)_2$: X-ray crystal structures of 4-[(η^5-cyclopentadienyl)irondicarbonyl]-7-chloroquinoline, 2-[(η^5-cyclopentadienyl)irondicarbonyl]-3-chloroquinoxaline, and 2-[(η^5-indenyl)irondicarbonyl]-3-chloroquinoxaline (A.D. Hunter, R. Chukwu, B.D. Santarsiero, S.G. Bott and J.L. Atwood), 1
Synthesis and X-ray crystal structures of the cyclic oxacarbene complexes $[Ru\{\overbrace{CCH_2(CH_2)_nCH_2O}\}(Ph_2PCH_2CH_2PPh_2)(\eta\text{-}C_5H_5)][PF_6]$ (n = 1 or 2): boat conformation of the 2-oxacyclohexylidene ligand (R.L. Beddoes, R.W. Grime, Z.I. Hussain and M.W. Whiteley), 371
Cyclopentadienyl derivatives
Preparation, characterization, and reactivity studies of chelated substituted cyclopentadienylmanganesedicarbonyl complexes (Z. Pang, R.F. Johnston and D.G. VanDerveer), 25
Di(cyclopentadienyl)methane
Comparison of the reactions of some bisphosphines with two related dinuclear rhodium complexes (G.R. County, R.S. Dickson, G.D. Fallon, S.M. Jenkins and J. Johnson), 279
Dimethylglyoxime
Synthesis and characterization of long-chain ω-functionalized alkyl cobaloxime complexes (E.J. Starr, M. Naidoo, A.T. Hutton and J.R. Moss), 321
Dinuclear complex
Comparison of the reactions of some bisphosphines with two related dinuclear rhodium complexes (G.R. County, R.S. Dickson, G.D. Fallon, S.M. Jenkins and J. Johnson), 279
Diphosphine
Über die Aminostannylierung von Aminoiminophosphanen (D. Hänssgen, T. Oster und M. Nieger), 59
cis-Diphosphine complexes
Dinitrile complexes with a rare *cis*-diphosphine rhenium(I) centre: syntheses, properties and cis- to trans-isomerization (M.F.C. Guedes da Silva, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), 237
Electrochemistry
Electrochemical activation of nucleophilic substitution in aryl and vinyl halides with $[CpFe(CO)_2]^-$ anion using homogeneous redox-catalysis (T.V. Magdesieva, I.I. Kukhareva, E.N. Shaposhnikova, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 51
Electron-rich arenes
Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure (M.L. Dos Santos, G.C. De Magalhães and R. Braz Filho), 15

Electron transfer
The reaction of $CpFe(CO)_2X$ (X = Cl, Br, I) with phosphines catalyzed by $[CpFe(CO)_2]_2$: evidence for an electron transfer chain catalysis mechanism (S.L. Gipson, L.-K. Liu and R.U. Soliz), 393
Electron transfer behaviour
Electron transfer catalysis in the activation of C–H bonds by ruthenium complexes (A. Ceccanti, P. Diversi, G. Ingrosso, F. Laschi, A. Lucherini, S. Magagna and P. Zanello), 251
Electrophilic thallation
Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure (M.L. Dos Santos, G.C. De Magalhães and R. Braz Filho), 15
Electrospray
Synthesis and characterisation of platinum(II) ureylene complexes, and the X-ray structure of [Pt{PhNC(O)NAd}(COD)] (Ad = 1-adamantyl, COD = 1,5-cyclo-octadiene) (M.B. Dinger, W. Henderson, B.K. Nicholson and A.L. Wilkins), 303
Ester compounds
The crystal structure and properties of $[TiCl_4\{CH(CO_2Et)_3\}]$ and $[Al_2Cl_6\{\mu\text{-}C_2H_4(CO_2Et)_2\}]$ (P. Sobota, S. Szafert and T. Głowiak), 329

Ferrocene
2,5″-bis(*N*,*N*-Dimethylaminomethyl)ferrocenyl–Bildung und Struktur (K. Jacob, K. Merzweiler, K.-H. Thiele und F. Voigt), 191
Structural chemistry of organotin ferrocenecarboxylic esters I. Synthesis and spectroscopic studies on dialkyltin esters of ferrocenecarboxylic acid FcCOOH and 1,1′-ferrocenedicarboxylic acid $Fc(COOH)_2$ (J. Tao and W. Xiao), 21
Fluorenyl
Syndiospezifische Polymerisation von Propylen: Synthese CH_2- und CHR-verbrückter fluorenylhaltiger Ligandvorstufen für Metallocenkomplexe des Typs $(C_{13}H_{8-n}R'_nCHR\text{–}C_5H_4)ZrCl_2$ (n = 0, 2; R = H, Alkyl; R′ = H, Hal) (H.G. Alt und R. Zenk), 295
Fluorinated aryltrisilanes
Synthese und Eigenschaften partiell Si-fluorierter Aryltrisilane (K. Hassler und W. Köll), 157
Fluorine
Neue Halogenowolfram(+VI)carbine durch chlorierende Oxidation, Synthese des ersten Fluorowolfram(+VI)carbin-Komplexes (W. Kläui und T. Hardt), 313
Fluxionality
Substrate activation by the Wilkinson analogous complex ClRh(P ~ O)(PO) containing η^2 PO-chelated and η^1 P-bonded (methoxyethyl)dicyclohexylphosphine as a hemilabile ligand (E. Lindner, B. Keppeler, H.A. Mayer, K. Gierling, R. Fawzi and M. Steimann), 175
ω-Functionalized
Synthesis and characterization of long-chain ω-functionalized alkyl cobaloxime complexes (E.J. Starr, M. Naidoo, A.T. Hutton and J.R. Moss), 321

Geometrical isomers
Dinitrile complexes with a rare *cis*-diphosphine rhenium(I) centre: syntheses, properties and cis- to trans-isomerization (M.F.C. Guedes da Silva, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), 237

Heterobimetallics
Über die Aminostannylierung von Aminoiminophosphanen (D. Hänssgen, T. Oster und M. Nieger), 59
Heterocyclics
Synthesis and characterization of polyaromatic azine derivatives of $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ and $(\eta^5\text{-}C_9H_7)Fe(CO)_2$: X-ray crystal structures of 4-[(η^5-cyclopentadienyl)irondicarbonyl]-7-chloroquinoline, 2-[(η^5-cyclopentadienyl)irondicarbonyl]-3-chloroquinoxaline, and 2-[(η^5-indenyl)irondicarbonyl]-3-chloroquinoxaline (A.D. Hunter, R. Chukwu, B.D. Santarsiero, S.G. Bott and J.L. Atwood), 1
Homocoupling
Palladium-catalyzed homocoupling reactions of organic tellurides (Y. Nishibayashi, C.S. Cho, K. Ohe and S. Uemura), 335
Hydroxo
Synthesis and structural study of $[\{Pd(C_6H_4CH_2N(CH_3)_2)\}_2(\mu\text{-}Br)(\mu\text{-}X)]$ complexes (X = hydroxide, amide or thiolate) (J. Ruiz, N. Cutillas, J. Sampedro, G. López, J.A. Hermoso and M. Martínez-Ripoll), 67

Infrared spectroscopy
Structural chemistry of organotin ferrocenecarboxylic esters I. Synthesis and spectroscopic studies on dialkyltin esters of ferrocenecarboxylic acid FcCOOH and 1,1′-ferrocenedicarboxylic acid $Fc(COOH)_2$ (J. Tao and W. Xiao), 21
Ion triplets
The first example of η^8 coordination of lithium cations with a cyclooctatetraene dianion: crystal structure of Li_2(dibenzo[a,e]cyclooctatetraene)$(TMEDA)_2$ (A. Sygula, F.R. Fronczek and P.W. Rabideau), 389
Iron
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C{\equiv}C\text{–}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram–Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363
Chemistry of metallacyclic alkenylcarbene complexes V. Synthesis, structure and S_N2'-type reactions of a chelated iron (η^2-olefin)dioxocarbene complex (R. Schobert, W. Förtsch and F. Hampel), 169
Electrochemical activation of nucleophilic substitution in aryl and vinyl halides with $[CpFe(CO)_2]^-$ anion using homogeneous redox-catalysis (T.V. Magdesieva, I.I. Kukhareva, E.N. Shaposhnikova, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 51
Synthesis and characterization of polyaromatic azine derivatives of $(\eta^5\text{-}C_5H_5)Fe(CO)_2$ and $(\eta^5\text{-}C_9H_7)Fe(CO)_2$: X-ray crystal structures of 4-[(η^5-cyclopentadienyl)irondicarbonyl]-7-chloroquinoline, 2-[(η^5-cyclopentadienyl)irondicarbonyl]-3-chloroquinoxaline, and 2-[(η^5-indenyl)irondicarbonyl]-3-chloroquinoxaline (A.D. Hunter, R. Chukwu, B.D. Santarsiero, S.G. Bott and J.L. Atwood), 1
Synthesis, spectroscopic and structural characterization of the double butterfly complex $[\{(CO)_6Fe_2SSe\}_2\{\mu\text{-}C(H)\text{–}C(Ph)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain, Y.-S. Chen, E.M. Holt and S.N. Rao), 379
The reaction of $CpFe(CO)_2X$ (X = Cl, Br, I) with phosphines catalyzed by $[CpFe(CO)_2]_2$: evidence for an electron transfer chain catalysis mechanism (S.L. Gipson, L.-K. Liu and R.U. Soliz), 393
Über die Aminostannylierung von Aminoiminophosphanen (D. Hänssgen, T. Oster und M. Nieger), 59
Isomerization
Dinitrile complexes with a rare *cis*-diphosphine rhenium(I) centre: syntheses, properties and cis- to trans-isomerization (M.F.C. Guedes da Silva, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), 237

Lewis acid
A novel Lewis-acid-catalyzed 1,2-OMe shift reaction of an acetylenic ether on a dipalladium framework. X-ray structure of $[Pd_2Cl_2(\mu\text{-}dppm)_2(\mu\text{-}C{=}C(OMe)(Me))]$ (C. Kluwe, J. Müller and J.A. Davies), 385

Ligand replacement
Synthesis of nitrosyl rhenium(I) complexes bearing bidentate ligands (D. Veghini, S.E. Nefedov, H. Schmalle and H. Berke), 117
Lithium
The first example of η^8 coordination of lithium cations with a cyclooctatetraene dianion: crystal structure of Li_2(dibenzo[a,e] cyclooctatetraene)$(TMEDA)_2$ (A. Sygula, F.R. Fronczek and P.W. Rabideau), 389
Titanocene complexes of ring-opened dibenzothiophene and related dimercaptobiaryl ligands (P.R. Stafford, T.B. Rauchfuss, A.K. Verma and S.R. Wilson), 203
Long-chain alkyl
Synthesis and characterization of long-chain ω-functionalized alkyl cobaloxime complexes (E.J. Starr, M. Naidoo, A.T. Hutton and J.R. Moss), 321

Magnesium
Synthesis and structural characterization of magnesium and cobalt derivatives of the bulky aryl ligand $-C_6H_3$-2,6-Mes_2 (J.J. Ellison and P.P. Power), 263
Manganese
Preparation, characterization, and reactivity studies of chelated substituted cyclopentadienylmanganesedicarbonyl complexes (Z. Pang, R.F. Johnston and D.G. VanDerveer), 25
Mediator
Electrochemical activation of nucleophilic substitution in aryl and vinyl halides with $[CpFe(CO)_2]^-$ anion using homogeneous redox-catalysis (T.V. Magdesieva, I.I. Kukhareva, E.N. Shaposhnikova, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 51
Mercury
Compounds containing 3-metallated pyrrole (K. Hübler, U. Hübler, W.R. Roper and L.J. Wright), 199
Metalate anion
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C{\equiv}C\text{-}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram-Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363
Metal clusters
Characterization and structures of intermediates in the reactivity of $CpWOs_3(CO)_{11}(\mu_3\text{-}CTol)$ towards dihydrogen and water (J.T. Park, J.-H. Chung, H. Song, K. Lee, J.-H. Lee, J.-R. Park and I.-H. Suh), 215
Metallacycle
Chemistry of metallacyclic alkenylcarbene complexes V. Synthesis, structure and S_N2'-type reactions of a chelated iron (η^2-olefin)dioxocarbene complex (R. Schobert, W. Förtsch and F. Hampel), 169
Synthesis and characterisation of platinum(II) ureylene complexes, and the X-ray structure of [Pt{PhNC(O)NAd}(COD)] (Ad = 1-adamantyl, COD = 1,5-cyclo-octadiene) (M.B. Dinger, W. Henderson, B.K. Nicholson and A.L. Wilkins), 303
Metallation
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons Cycloocta-1,3,5,7-tetraene. X-ray structures of $Ru_3(\mu\text{-dppm})(\mu\text{-}C_8H_8)(CO)_6$, $Ru_3(\mu_3\text{-}PPhCH_2PPh_2)(\mu_3\text{-}C_8H_8)(Ph)(CO)_5$, $Ru_3\{\mu_3\text{-}PPhCH_2PPh(C_6H_4)\}(\mu\text{-}C_8H_8)(\mu\text{-}CO)(CO)_4$, and $Ru_3(\mu\text{-}H)\{\mu_3\text{-}PPh_2CHPPh(C_6H_4)\}(\mu\text{-}C_8H_9)(\mu\text{-}CO)(CO)_4$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 85
Metallocene
Titanocene complexes of ring-opened dibenzothiophene and related dimercaptobiaryl ligands (P.R. Stafford, T.B. Rauchfuss, A.K. Verma and S.R. Wilson), 203
Metallocenes
2,5″-bis(*N*,*N*-Dimethylaminomethyl)ferrocenyl-Bildung und Struktur (K. Jacob, K. Merzweiler, K.-H. Thiele und F. Voigt), 191
Molybdenum
Neue Halogenowolfram(+VI)carbine durch chlorierende Oxidation, Synthese des ersten Fluorowolfram(+VI)carbin-Komplexes (W. Kläui und T. Hardt), 313
Molybdenum complex
Preparation and crystal structures of a bidentate isocyanide and its tetracarbonylchromium complex (F.E. Hahn, M. Tamm, L. Imhof and T. Lügger), 149
Mössbauer
Organotin(IV) polypyrazolylborates. XII. Hydridotris(4-bromo-1*H*-pyrazol-1-yl)borates: characterization, Mössbauer study and X-ray crystal structure of $MeCl_2Sn(4\text{-}BrPz)_3BH$ (S. Calogero, G. Valle, G.G. Lobbia, C. Santini, P. Cecchi and L. Stievano), 269

Nitrile complexes
Dinitrile complexes with a rare *cis*-diphosphine rhenium(I) centre: syntheses, properties and cis- to trans-isomerization (M.F.C. Guedes da Silva, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), 237
NMR spectroscopy
Rhodium(I) complexes with hydrotris(3-phenylpyrazol-1-yl)borate ligand Tp^{Ph}: X-ray crystal structures of $Tp^{Ph}Rh(NBD)$ and $Tp^{Ph}Rh(COD)$ (D. Sanz, M.D. Santa María, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, F.A. Ruíz, E. Pinilla and A. Monge), 341
Non-linear optics
Organometallic complexes for non-linear optics VII. Cubic optical non-linearities of octahedral *trans*-bis{bis(diphenylphosphino) methane}ruthenium acetylide complexes; X-ray crystal structure of *trans*-$[Ru(C{\equiv}CPh)(4\text{-}C{\equiv}CC_6H_4NO_2)(dppm)_2]$ (A.M. McDonagh, M.P. Cifuentes, I.R. Whittall, M.G. Humphrey, M. Samoc, B. Luther-Davies and D.C.R. Hockless), 99
Nuclear magnetic resonance
Structural chemistry of organotin ferrocenecarboxylic esters I. Synthesis and spectroscopic studies on dialkyltin esters of ferrocenecarboxylic acid FcCOOH and 1,1′-ferrocenedicarboxylic acid $Fc(COOH)_2$ (J. Tao and W. Xiao), 21
Untersuchungen zum elektronischen Einfluß von Organoliganden XIV. Synthese und Charakterisierung von Organorhodoximen mit ungesättigten C_3-Liganden (D. Steinborn, L. Yang und A.M.A. Aisa), 43

Olefin polymerization
The crystal structure and properties of $[TiCl_4\{CH(CO_2Et)_3\}]$ and $[Al_2Cl_6\{\mu\text{-}C_2H_4(CO_2Et)_2\}]$ (P. Sobota, S. Szafert and T. Głowiak), 329
Olefins
Homo and co-oligomerization of C_2–C_5 olefins in the presence of cluster ruthenium complexes (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 33
Oligomerization
Homo and co-oligomerization of C_2–C_5 olefins in the presence of cluster ruthenium complexes (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 33
Oligophosphazenium ions
Interactions of hexachlorodiphosphazenium ion with an alcohol and with some silicon-oxygen reagents and their role in the catalysis of polycondensation in silanol-alkoxysilane systems (J. Chojnowski, M. Cypryk, W. Fortuniak, K. Kaźmierski and R.G. Taylor), 351

Organic tellurides
Palladium-catalyzed homocoupling reactions of organic tellurides (Y. Nishibayashi, C.S. Cho, K. Ohe and S. Uemura), 335
Organorhodoximes
Untersuchungen zum elektronischen Einfluß von Organoliganden XIV. Synthese und Charakterisierung von Organorhodoximen mit ungesättigten C_3-Liganden (D. Steinborn, L. Yang und A.M.A. Aisa), 43
Orthometallation
Synthesis and reactivity of new benzophenone imine derivatives containing the $Ru(CO)(P^iPr_3)_2$ unit (C. Bohanna, M.A. Esteruelas, A.M. López and L.A. Oro), 73
Osmium
Synthesis and X-ray crystal structure of the electron-deficient metal carbonyl cluster $[Os_3(CO)_5(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (F.W. Heinemann and H.-C. Böttcher), 145
Oxidative addition
Substrate activation by the Wilkinson analogous complex ClRh(P ~ O)(PO) containing η^2 PO-chelated and η^1 P-bonded (methoxyethyl)dicyclohexylphosphine as a hemilabile ligand (E. Lindner, B. Keppeler, H.A. Mayer, K. Gierling, R. Fawzi and M. Steimann), 175
Oxide
Allyl derivatives of $[\{Ti(\eta^5\text{-}C_5Me_5)(\mu\text{-}O)Cl)\}_3]$: X-ray crystal structure of $[\{Ti(\eta^5\text{-}C_5Me_5)(\mu\text{-}O)(CH_2CH{=}CHMe)\}_3]$ (R. Andrés, M. Galakhov, M.P. Gómez-Sal, A. Martín, M. Mena and C. Santamaría), 135
μ-Oxo complexes
Characterization and structures of intermediates in the reactivity of $CpWOs_3(CO)_{11}(\mu_3\text{-}CTol)$ towards dihydrogen and water (J.T. Park, J.-H. Chung, H. Song, K. Lee, J.-H. Lee, J.-R. Park and I.-H. Suh), 215
Oxygen ligand
Neue Halogenowolfram(+VI)carbine durch chlorierende Oxidation, Synthese des ersten Fluorowolfram(+VI)carbin-Komplexes (W. Kläui und T. Hardt), 313

Palladium
A novel Lewis-acid-catalyzed 1,2-OMe shift reaction of an acetylenic ether on a dipalladium framework. X-ray structure of $[Pd_2Cl_2(\mu\text{-}dppm)_2(\mu\text{-}C{=}C(OMe)(Me))]$ (C. Kluwe, J. Müller and J.A. Davies), 385
Palladium-catalyzed homocoupling reactions of organic tellurides (Y. Nishibayashi, C.S. Cho, K. Ohe and S. Uemura), 335
Synthesis and structural study of $[\{Pd(C_6H_4CH_2N(CH_3)_2)\}_2(\mu\text{-}Br)(\mu\text{-}X)]$ complexes (X = hydroxide, amide or thiolate) (J. Ruiz, N. Cutillas, J. Sampedro, G. López, J.A. Hermoso and M. Martínez-Ripoll), 67
Peterson reaction
The reaction of tris(trimethylsilyl)silyllithium with dibenzosuberenone (D. Hoffmann, H. Reinke and H. Oehme), 185
Phenol
Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure (M.L. Dos Santos, G.C. De Magalhães and R. Braz Filho), 15
Phenylacetylene
Synthesis, spectroscopic and structural characterization of the double butterfly complex $[\{(CO)_6Fe_2SSe\}_2\{\mu\text{-}C(H)\text{-}C(Ph)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain, Y.-S. Chen, E.M. Holt and S.N. Rao), 379
Phosphido-bridged
Synthesis and X-ray crystal structure of the electron-deficient metal carbonyl cluster $[Os_3(CO)_5(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (F.W. Heinemann and H.-C. Böttcher), 145
Phosphine
A novel Lewis-acid-catalyzed 1,2-OMe shift reaction of an acetylenic ether on a dipalladium framework. X-ray structure of $[Pd_2Cl_2(\mu\text{-}dppm)_2(\mu\text{-}C{=}C(OMe)(Me))]$ (C. Kluwe, J. Müller and J.A. Davies), 385
Preparation, characterization, and reactivity studies of chelated substituted cyclopentadienylmanganesedicarbonyl complexes (Z. Pang, R.F. Johnston and D.G. VanDerveer), 25
Reactions of $Ru_3(\mu\text{-}dppm)(CO)_{10}$ with unsaturated hydrocarbons Cycloocta-1,3,5,7-tetraene. X-ray structures of $Ru_3(\mu\text{-}dppm)(\mu\text{-}C_8H_8)(CO)_6$, $Ru_3(\mu_3\text{-}PPhCH_2PPh_2)(\mu_3\text{-}C_8H_8)(Ph)(CO)_5$, $Ru_3\{\mu_3\text{-}PPhCH_2PPh(C_6H_4)\}(\mu\text{-}C_8H_8)(\mu\text{-}CO)(CO)_4$, and $Ru_3(\mu\text{-}H)\{\mu_3\text{-}PPh_2CHPPh(C_6H_4)\}(\mu\text{-}C_8H_9)(\mu\text{-}CO)(CO)_4$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 85
Substrate activation by the Wilkinson analogous complex ClRh(P ~ O)(PO) containing η^2 PO-chelated and η^1 P-bonded (methoxyethyl)dicyclohexylphosphine as a hemilabile ligand (E. Lindner, B. Keppeler, H.A. Mayer, K. Gierling, R. Fawzi and M. Steimann), 175
Phosphorus
Interactions of hexachlorodiphosphazenium ion with an alcohol and with some silicon–oxygen reagents and their role in the catalysis of polycondensation in silanol–alkoxysilane systems (J. Chojnowski, M. Cypryk, W. Fortuniak, K. Kaźmierski and R.G. Taylor), 351
Photochemistry
Preparation, characterization, and reactivity studies of chelated substituted cyclopentadienylmanganesedicarbonyl complexes (Z. Pang, R.F. Johnston and D.G. VanDerveer), 25
Photodecarbonylation
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C{\equiv}C{-}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram–Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363
Platinum
Synthesis and characterisation of platinum(II) ureylene complexes, and the X-ray structure of [Pt{PhNC(O)NAd}(COD)] (Ad = 1-adamantyl, COD = 1,5-cyclo-octadiene) (M.B. Dinger, W. Henderson, B.K. Nicholson and A.L. Wilkins), 303
Polymerization
Syndiospezifische Polymerisation von Propylen: Synthese CH_2- und CHR-verbrückter fluorenylhaltiger Ligandvorstufen für Metallocenkomplexe des Typs $(C_{13}H_{8-n}R'_nCHR\text{-}C_5H_4)ZrCl_2$ (n = 0, 2; R = H, Alkyl; R' = H, Hal) (H.G. Alt und R. Zenk), 295
Polyoxometallate
Structural chemistry of organotin ferrocenecarboxylic esters I. Synthesis and spectroscopic studies on dialkyltin esters of ferrocenecarboxylic acid FcCOOH and 1,1'-ferrocenedicarboxylic acid $Fc(COOH)_2$ (J. Tao and W. Xiao), 21
Polysilanes
The reaction of tris(trimethylsilyl)silyllithium with dibenzosuberenone (D. Hoffmann, H. Reinke and H. Oehme), 185
Pyrazolylborates
Organotin(IV) polypyrazolylborates. XII. Hydridotris(4-bromo-1*H*-pyrazol-1-yl)borates: characterization, Mössbauer study and X-ray crystal structure of $MeCl_2Sn(4\text{-}BrPz)_3BH$ (S. Calogero, G. Valle, G.G. Lobbia, C. Santini, P. Cecchi and L. Stievano), 269
Pyrrole
Compounds containing 3-metallated pyrrole (K. Hübler, U. Hübler, W.R. Roper and L.J. Wright), 199

Reactions of hexachlorodiphosphazenium ion
Interactions of hexachlorodiphosphazenium ion with an alcohol and with some silicon–oxygen reagents and their role in the catalysis of polycondensation in silanol–alkoxysilane systems (J. Chojnowski, M. Cypryk, W. Fortuniak, K. Kaźmierski and R.G. Taylor), 351
Rearrangement
A novel Lewis-acid-catalyzed 1,2-OMe shift reaction of an acetylenic ether on a dipalladium framework. X-ray structure of $[Pd_2Cl_2(\mu\text{-dppm})_2(\mu\text{-C=C(OMe)(Me)})]$ (C. Kluwe, J. Müller and J.A. Davies), 385
Redox catalysis
Electrochemical activation of nucleophilic substitution in aryl and vinyl halides with $[CpFe(CO)_2]^-$ anion using homogeneous redox-catalysis (T.V. Magdesieva, I.I. Kukhareva, E.N. Shaposhnikova, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 51
Reduction
The reaction of $CpFe(CO)_2X$ (X = Cl, Br, I) with phosphines catalyzed by $[CpFe(CO)_2]_2$: evidence for an electron transfer chain catalysis mechanism (S.L. Gipson, L.-K. Liu and R.U. Soliz), 393
Rhenium
Über die Aminostannylierung von Aminoiminophosphanen (D. Hänssgen, T. Oster und M. Nieger), 59
Rhenium complexes
Dinitrile complexes with a rare *cis*-diphosphine rhenium(I) centre: syntheses, properties and cis- to trans-isomerization (M.F.C. Guedes da Silva, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), 237
Rhenium nitrosyl complexes
Synthesis of nitrosyl rhenium(I) complexes bearing bidentate ligands (D. Veghini, S.E. Nefedov, H. Schmalle and H. Berke), 117
Rhodium
Comparison of the reactions of some bisphosphines with two related dinuclear rhodium complexes (G.R. County, R.S. Dickson, G.D. Fallon, S.M. Jenkins and J. Johnson), 279
Substrate activation by the Wilkinson analogous complex $ClRh(P\sim O)(PO)$ containing η^2 PO-chelated and η^1 P-bonded (methoxyethyl)dicyclohexylphosphine as a hemilabile ligand (E. Lindner, B. Keppeler, H.A. Mayer, K. Gierling, R. Fawzi and M. Steimann), 175
Untersuchungen zum elektronischen Einfluß von Organoliganden XIV. Synthese und Charakterisierung von Organorhodoximen mit ungesättigten C_3-Liganden (D. Steinborn, L. Yang und A.M.A. Aisa), 43
Rhodium complexes
Rhodium(I) complexes with hydrotris(3-phenylpyrazol-1-yl)borate ligand Tp^{Ph}: X-ray crystal structures of $Tp^{Ph}Rh(NBD)$ and $Tp^{Ph}Rh(COD)$ (D. Sanz, M.D. Santa María, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, F.A. Ruíz, E. Pinilla and A. Monge), 341
Ruthenium
Compounds containing 3-metallated pyrrole (K. Hübler, U. Hübler, W.R. Roper and L.J. Wright), 199
Organometallic complexes for non-linear optics VII. Cubic optical non-linearities of octahedral *trans*-bis(bis(diphenylphosphino)methane)ruthenium acetylide complexes; X-ray crystal structure of *trans*-$[Ru(C\equiv CPh)(4\text{-}C\equiv CC_6H_4NO_2)(dppm)_2]$ (A.M. McDonagh, M.P. Cifuentes, I.R. Whittall, M.G. Humphrey, M. Samoc, B. Luther-Davies and D.C.R. Hockless), 99
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons Cycloocta-1,3,5,7-tetraene. X-ray structures of $Ru_3(\mu\text{-dppm})(\mu\text{-}C_8H_8)(CO)_6$, $Ru_3(\mu_3\text{-}PPhCH_2PPh_2)(\mu_3\text{-}C_8H_8)(Ph)(CO)_5$, $Ru_3\{\mu_3\text{-}PPhCH_2PPh(C_6H_4)\}(\mu\text{-}C_8H_8)(\mu\text{-}CO)(CO)_4$, and $Ru_3(\mu\text{-}H)\{\mu_3\text{-}PPh_2CHPPh(C_6H_4)\}(\mu\text{-}C_8H_9)(\mu\text{-}CO)(CO)_4$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 85
Synthesis and X-ray crystal structures of the cyclic oxacarbene complexes $[Ru\{\overline{CCH_2(CH_2)_nCH_2O}\}(Ph_2PCH_2CH_2PPh_2)(\eta\text{-}C_5H_5)][PF_6]$ ($n = 1$ or 2): boat conformation of the 2-oxacyclohexylidene ligand (R.L. Beddoes, R.W. Grime, Z.I. Hussain and M.W. Whiteley), 371
Ruthenium complexes
Homo and co-oligomerization of C_2–C_5 olefins in the presence of cluster ruthenium complexes (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 33
Ruthenium–hexamethylbenzene complexes
Electron transfer catalysis in the activation of C–H bonds by ruthenium complexes (A. Ceccanti, P. Diversi, G. Ingrosso, F. Laschi, A. Lucherini, S. Magagna and P. Zanello), 251
Ruthenium–hydride complexes
Synthesis and reactivity of new benzophenone imine derivatives containing the $Ru(CO)(P^iPr_3)_2$ unit (C. Bohanna, M.A. Esteruelas, A.M. López and L.A. Oro), 73

Selenium
Synthesis, spectroscopic and structural characterization of the double butterfly complex $[\{(CO)_6Fe_2SSe\}_2\{\mu\text{-}C(H)\text{-}C(Ph)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain, Y.-S. Chen, E.M. Holt and S.N. Rao), 379
Silaethenes
The reaction of tris(trimethylsilyl)silyllithium with dibenzosuberenone (D. Hoffmann, H. Reinke and H. Oehme), 185
Silenes
The reaction of tris(trimethylsilyl)silyllithium with dibenzosuberenone (D. Hoffmann, H. Reinke and H. Oehme), 185
Silicon
Interactions of hexachlorodiphosphazenium ion with an alcohol and with some silicon–oxygen reagents and their role in the catalysis of polycondensation in silanol–alkoxysilane systems (J. Chojnowski, M. Cypryk, W. Fortuniak, K. Kaźmierski and R.G. Taylor), 351
Synthese und Eigenschaften partiell Si-fluorierter Aryltrisilane (K. Hassler und W. Köll), 157
The synthesis and structure of a new type of borosilicate cage (G. Ferguson, B.J. O'Leary, D.M. Murphy and T.R. Spalding), 195
Silyl
Über die Aminostannylierung von Aminoiminophosphanen (D. Hänssgen, T. Oster und M. Nieger), 59
Single-crystal structure
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C\equiv C\text{-}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram–Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363
Stereoisomers
Synthesis of nitrosyl rhenium(I) complexes bearing bidentate ligands (D. Veghini, S.E. Nefedov, H. Schmalle and H. Berke), 117
Substitution
The reaction of $CpFe(CO)_2X$ (X = Cl, Br, I) with phosphines catalyzed by $[CpFe(CO)_2]_2$: evidence for an electron transfer chain catalysis mechanism (S.L. Gipson, L.-K. Liu and R.U. Soliz), 393
Sulfur
Titanocene complexes of ring-opened dibenzothiophene and related dimercaptobiaryl ligands (P.R. Stafford, T.B. Rauchfuss, A.K. Verma and S.R. Wilson), 203
Sulphur
Synthesis, spectroscopic and structural characterization of the double butterfly complex $[\{(CO)_6Fe_2SSe\}_2\{\mu\text{-}C(H)\text{–}C(Ph)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain, Y.-S. Chen, E.M. Holt and S.N. Rao), 379

Syndiotactic polypropylene
Syndiospezifische Polymerisation von Propylen: Synthese CH_2- und CHR-verbrückter fluorenylhaltiger Ligandvorstufen für Metallocenkomplexe des Typs $(C_{13}H_{8-n}R'_nCHR\text{-}C_5H_4)ZrCl_2$ (n = 0, 2; R = H, Alkyl; R' = H, Hal) (H.G. Alt und R. Zenk), 295
Synthesis
The synthesis and structure of a new type of borosilicate cage (G. Ferguson, B.J. O'Leary, D.M. Murphy and T.R. Spalding), 195

Tellurium
Palladium-catalyzed homocoupling reactions of organic tellurides (Y. Nishibayashi, C.S. Cho, K. Ohe and S. Uemura), 335
Thallium
Electrophilic aromatic thallation of phenol ethers: an improved experimental procedure (M.L. Dos Santos, G.C. De Magalhães and R. Braz Filho), 15
Thiolate
Titanocene complexes of ring-opened dibenzothiophene and related dimercaptobiaryl ligands (P.R. Stafford, T.B. Rauchfuss, A.K. Verma and S.R. Wilson), 203
(J. Ruiz), 67
Thiolato
Tin
Organotin(IV) polypyrazolylborates. XII. Hydridotris(4-bromo-1*H*-pyrazol-1-yl)borates: characterization, Mössbauer study and X-ray crystal structure of $MeCl_2Sn(4\text{-}BrPz)_3BH$ (S. Calogero, G. Valle, G.G. Lobbia, C. Santini, P. Cecchi and L. Stievano), 269
Structural chemistry of organotin ferrocenecarboxylic esters I. Synthesis and spectroscopic studies on dialkyltin esters of ferrocenecarboxylic acid FcCOOH and 1,1'-ferrocenedicarboxylic acid $Fc(COOH)_2$ (J. Tao and W. Xiao), 21
Titanium
Allyl derivatives of $[\{Ti(\eta^5\text{-}C_5Me_5)(\mu\text{-}O)Cl\}_3]$: X-ray crystal structure of $[\{Ti(\eta^5\text{-}C_5Me_5)(\mu\text{-}O)(CH_2CH{=}CHMe)\}_3]$ (R. Andrés, M. Galakhov, M.P. Gómez-Sal, A. Martín, M. Mena and C. Santamaría), 135
Dicyclopentadienyl titanium and zirconium complexes with the double bridged bis(dimethylsilanodiyl)dicyclopentadienyl $[(Me_2Si)_2(\eta^5\text{-}C_5H_3)_2]^{2-}$ ligand: X-ray molecular structure of $[Ti\{(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2\}Me_2]$ (A. Cano, T. Cuenca, P. Gómez-Sal, A. Manzanero and P. Royo), 227
The crystal structure and properties of $[TiCl_4\{CH(CO_2Et)_3\}]$ and $[Al_2Cl_6\{\mu\text{-}C_2H_4(CO_2Et)_2\}]$ (P. Sobota, S. Szafert and T. Głowiak), 329
Titanocene complexes of ring-opened dibenzothiophene and related dimercaptobiaryl ligands (P.R. Stafford, T.B. Rauchfuss, A.K. Verma and S.R. Wilson), 203
Trans influence
Untersuchungen zum elektronischen Einfluß von Organoliganden XIV. Synthese und Charakterisierung von Organorhodoximen mit ungesättigten C_3-Liganden (D. Steinborn, L. Yang und A.M.A. Aisa), 43
Tripodal ligand
Neue Halogenowolfram(+VI)carbine durch chlorierende Oxidation, Synthese des ersten Fluorowolfram(+VI)carbin-Komplexes (W. Kläui und T. Hardt), 313
Trispyrazolylborates
Rhodium(I) complexes with hydrotris(3-phenylpyrazol-1-yl)borate ligand Tp^{Ph}: X-ray crystal structures of $Tp^{Ph}Rh(NBD)$ and $Tp^{Ph}Rh(COD)$ (D. Sanz, M.D. Santa María, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, F.A. Ruíz, E. Pinilla and A. Monge), 341
Tungsten
η^2-Alkinyl- und Vinyliden-Übergangsmetall-Komplexe (III): Reaktionsverhalten des Acetylids $[(\eta^5\text{-}C_5H_5)(CO)(NO)W(C{\equiv}C\text{-}R)]^-$ gegenüber $[(\eta^5\text{-}C_5H_5)(CO)_2Fe(THF)]BF_4$: Darstellung, Struktur und photochemisches Verhalten eines Wolfram–Eisen-Acetylids (J. Ipaktschi, F. Mirzaei, B.G. Müller, J. Beck und M. Serafin), 363
Neue Halogenowolfram(+VI)carbine durch chlorierende Oxidation, Synthese des ersten Fluorowolfram(+VI)carbin-Komplexes (W. Kläui und T. Hardt), 313
Tungsten–triosmium
Characterization and structures of intermediates in the reactivity of $CpWOs_3(CO)_{11}(\mu_3\text{-}CTol)$ towards dihydrogen and water (J.T. Park, J.-H. Chung, H. Song, K. Lee, J.-H. Lee, J.-R. Park and I.-H. Suh), 215

Urea
Synthesis and characterisation of platinum(II) ureylene complexes, and the X-ray structure of [Pt{PhNC(O)NAd}(COD)] (Ad = 1-adamantyl, COD = 1,5-cyclo-octadiene) (M.B. Dinger, W. Henderson, B.K. Nicholson and A.L. Wilkins), 303
Ureylene
Synthesis and characterisation of platinum(II) ureylene complexes, and the X-ray structure of [Pt{PhNC(O)NAd}(COD)] (Ad = 1-adamantyl, COD = 1,5-cyclo-octadiene) (M.B. Dinger, W. Henderson, B.K. Nicholson and A.L. Wilkins), 303

Vinylidene
A novel Lewis-acid-catalyzed 1,2-OMe shift reaction of an acetylenic ether on a dipalladium framework. X-ray structure of $[Pd_2Cl_2(\mu\text{-}dppm)_2(\mu\text{-}C{=}C(OMe)(Me))]$ (C. Kluwe, J. Müller and J.A. Davies), 385

X-ray
Organotin(IV) polypyrazolylborates. XII. Hydridotris(4-bromo-1*H*-pyrazol-1-yl)borates: characterization, Mössbauer study and X-ray crystal structure of $MeCl_2Sn(4\text{-}BrPz)_3BH$ (S. Calogero, G. Valle, G.G. Lobbia, C. Santini, P. Cecchi and L. Stievano), 269
Über die Aminostannylierung von Aminoiminophosphanen (D. Hänssgen, T. Oster und M. Nieger), 59
X-ray crystallography
Preparation and crystal structures of a bidentate isocyanide and its tetracarbonylchromium complex (F.E. Hahn, M. Tamm, L. Imhof and T. Lügger), 149
(J. Ruiz), 67
X-ray diffraction
2,5''-bis(*N*,*N*-Dimethylaminomethyl)ferrocenyl–Bildung und Struktur (K. Jacob, K. Merzweiler, K.-H. Thiele und F. Voigt), 191
Preparation, characterization, and reactivity studies of chelated substituted cyclopentadienylmanganesedicarbonyl complexes (Z. Pang, R.F. Johnston and D.G. VanDerveer), 25
Substrate activation by the Wilkinson analogous complex ClRh(P~O)(PO) containing η^2 PO-chelated and η^1 P-bonded (methoxyethyl)dicyclohexylphosphine as a hemilabile ligand (E. Lindner, B. Keppeler, H.A. Mayer, K. Gierling, R. Fawzi and M. Steimann), 175
The synthesis and structure of a new type of borosilicate cage (G. Ferguson, B.J. O'Leary, D.M. Murphy and T.R. Spalding), 195
X-ray structure
Characterization and structures of intermediates in the reactivity of $CpWOs_3(CO)_{11}(\mu_3\text{-}CTol)$ towards dihydrogen and water (J.T. Park, J.-H. Chung, H. Song, K. Lee, J.-H. Lee, J.-R. Park and I.-H. Suh), 215

Synthesis and X-ray crystal structure of the electron-deficient metal carbonyl cluster $[Os_3(CO)_5(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (F.W. Heinemann and H.-C. Böttcher), 145

Zirconium

Dicyclopentadienyl titanium and zirconium complexes with the double bridged bis(dimethylsilanodiyl)dicyclopentadienyl $[(Me_2Si)_2(\eta^5\text{-}C_5H_3)_2]^{2-}$ ligand: X-ray molecular structure of $[Ti\{(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2\}Me_2]$ (A. Cano, T. Cuenca, P. Gómez-Sal, A. Manzanero and P. Royo), 227

Syndiospezifische Polymerisation von Propylen: Synthese CH_2- und CHR-verbrückter fluorenylhaltiger Ligandvorstufen für Metallocenkomplexe des Typs $(C_{13}H_{8-n}R'_nCHR\text{–}C_5H_4)ZrCl_2$ ($n = 0, 2$; R = H, Alkyl; R′ = H, Hal) (H.G. Alt und R. Zenk), 295

Book Reviews

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition (C. Eaborn)), 397

Theoretical Aspects of Homogeneous Catalysis, P.W.N.M. van Leeuwen, K. Morokuma and J.H. van Lenthe (Eds.) (G.J. Leigh)), 397

Ziegler Catalysts. Recent Scientific Innovations and Technological Improvements, G. Gink, R. Mulhaupt and H.H. Brintzinger (eds.) (C. Eaborn)), 397